

Ill formed error message causes crash.

2022/05/09 13:36 - Admin Redmine

ステータス:	Closed	開始日:	2008/09/19
優先度:	通常	期日:	
担当者:		進捗率:	0%
カテゴリ:	Accounts / authentication_7	予定工数:	0.00時間
対象バージョン:	0.8_2	作業時間:	0.00時間
Redmineorg_URL:	https://www.redmine.org/issues/1927	status_id:	5
category_id:	7	tracker_id:	1
version_id:	2	plus1:	0
issue_org_id:	1927	affected_version:	
author_id:	2177	closed_on:	
assigned_to_id:	0	affected_version_id:	5
comments:	1		

説明

OK,

I don't know ruby but if all of the proper attributes are not given in ldap authentication in settings (Firstname, lastname, and email are stated as optional but are not actually) then the failure message causes a crash.

The ill formed error message seems to come from on line 114 if user.rb

```

logger.error("User '#{onthe-fly.login}' found in LDAP but could not be /
created (#{onthe-fly.errors.full_messages.join(', ')}") if logger

```

```

sh-3.2$ RAILS_ENV=development ruby script/about
GLoc v1.1 running in development mode. Strings can be modified at runtime.
About your application's environment
Ruby version 1.8.6 (universal-darwin9.0)
RubyGems version 1.2.0
Rails version 2.0.2
Active Record version 2.0.2
Action Pack version 2.0.2
Active Resource version 2.0.2
Action Mailer version 2.0.2
Active Support version 2.0.2
Edge Rails revision rel_2-0-2
Application root /Library/WebServer/Documents/redmine
Environment development
Database adapter mysql
Database schema version 92

```

```

Processing AccountController#login (for 127.0.0.1 at 2008-09-19 14:39:54) [POST]
Session ID: 1fe52ef1f619b533a66e7569d58f5f52
Parameters: {"action"=>"login", "username"=>"foo", "bar"=>"account", "password"=>"[FILTERED]", "login"=>"Login »"}
Setting Columns (0.001288) SHOW FIELDS FROM settings
SQL (0.000091) SELECT max(updated_on) AS max_updated_on FROM settings
SQL (0.000531) SHOW TABLES
User Columns (0.001307) SHOW FIELDS FROM users
SQL (0.000588) SHOW TABLES
Project Columns (0.001238) SHOW FIELDS FROM projects
SQL (0.000443) SHOW TABLES
Issue Columns (0.001434) SHOW FIELDS FROM issues
SQL (0.000395) SHOW TABLES
SQL (0.000576) SHOW TABLES
SQL (0.000722) SHOW TABLES

```

```
AnonymousUser Columns (0.001611) SHOW FIELDS FROM users
AnonymousUser Load (0.000211) SELECT * FROM users WHERE ( (users.type = 'AnonymousUser' ) ) LIMIT 1
User Load (0.000310) SELECT * FROM users WHERE (login='foo') LIMIT 1
SQL (0.000498) SHOW TABLES
AuthSource Load (0.000215) SELECT * FROM auth_sources WHERE (onthefly_register=1)
AuthSource Columns (0.001333) SHOW FIELDS FROM auth_sources
AuthSourceLdap Columns (0.001376) SHOW FIELDS FROM auth_sources
Authenticating 'tegtmeyer' against 'localhost'
DN found for tegtmeyer: uid=foo,cn=users,dc=some,dc=long,dc=long,dc=domain
Authentication successful for 'tegtmeyer'
Setting Load (0.000104) SELECT * FROM settings WHERE (settings.name = 'default_language') LIMIT 1
SQL (0.000059) BEGIN
User Load (0.000291) SELECT * FROM users WHERE (users.login = 'foo') LIMIT 1
SQL (0.000054) COMMIT
```

TypeError (can't convert Array into String):

```
/vendor/plugins/gloc-1.1.0/lib/gloc-rails.rb:171:in '+'
/vendor/plugins/gloc-1.1.0/lib/gloc-rails.rb:171:infull_messages'
/vendor/plugins/gloc-1.1.0/lib/gloc-rails.rb:165:in each'
/vendor/plugins/gloc-1.1.0/lib/gloc-rails.rb:165:infull_messages'
/vendor/plugins/gloc-1.1.0/lib/gloc-rails.rb:164:in each_key'
/vendor/plugins/gloc-1.1.0/lib/gloc-rails.rb:164:infull_messages'
/app/models/user.rb:113:in try_to_login'
/app/controllers/account_controller.rb:46:inlogin'
/vendor/rails/actionpack/lib/action_controller/base.rb:1158:in send'
/vendor/rails/actionpack/lib/action_controller/base.rb:1158:inperform_action_without_filters'
/vendor/rails/actionpack/lib/action_controller/filters.rb:697:in call_filters'
/vendor/rails/actionpack/lib/action_controller/filters.rb:689:inperform_action_without_benchmark'
/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in perform_action_without_rescue'
/System/Library/Frameworks/Ruby.framework/Versions/1.8/usr/lib/ruby/1.8/benchmark.rb:293:inmeasure'
/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in perform_action_without_rescue'
/vendor/rails/actionpack/lib/action_controller/rescue.rb:199:inperform_action_without_caching'
/vendor/rails/actionpack/lib/action_controller/caching.rb:678:in perform_action'
/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:33:incache'
/vendor/rails/activerecord/lib/active_record/query_cache.rb:8:in cache'
/vendor/rails/actionpack/lib/action_controller/caching.rb:677:inperform_action'
/vendor/rails/actionpack/lib/action_controller/base.rb:524:in send'
/vendor/rails/actionpack/lib/action_controller/base.rb:524:inprocess_without_filters'
/vendor/rails/actionpack/lib/action_controller/filters.rb:685:in process_without_session_management_support'
/vendor/rails/actionpack/lib/action_controller/session_management.rb:123:inprocess'
/vendor/rails/actionpack/lib/action_controller/base.rb:388:in process'
/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:171:inhandle_request'
/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:115:in dispatch'
/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:126:indispatch CGI'
/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:9:in dispatch'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel/rails.rb:76:inprocess'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel/rails.rb:74:in synchronize'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel/rails.rb:74:inprocess'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel.rb:159:in process_client'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel.rb:158:ineach'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel.rb:158:in process_client'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel.rb:285:inrun'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel.rb:285:in initialize'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel.rb:285:innew'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel.rb:285:in run'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel.rb:268:ininitialize'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel.rb:268:in new'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel.rb:268:inrun'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel/configurator.rb:282:in run'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel/configurator.rb:281:ineach'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel/configurator.rb:281:in run'
/usr/bin/mongrel_rails_server:131:inrun'
/Library/Ruby/Gems/1.8/gems/mongrel-1.1.5/lib/mongrel/command.rb:212:in `run'
/usr/bin/mongrel_rails_server:256
```

```
Rendering /Library/WebServer/Documents/redmine/vendor/rails/actionpack/lib/action_controller/templates/rescues/layout.erb
(internal_server_error)
```

journals

This was fixed in r1678.

履歴

#1 - 2022/05/10 17:27 - Admin Redmine

- カテゴリを Accounts / authentication_7 にセット

- 対象バージョンを 0.8_2 にセット