redmineorg-copy202205 - Vote #68206

Add an option to set the project name from apache when authenticating with Redmine.pm

2022/05/09 15:01 - Admin Redmine

ステータス:	New	開始日:	2010/09/23
優先度:	通常	期日:	
担当者:		進捗率:	0%
カテゴリ:	SCM extra_46	予定工数:	0.00時間
対象パージョン:		作業時間:	0.00時間
Redmineorg_URL:	https://www.redmine.org/issues/6475	status_id:	1
category_id:	46	tracker_id:	3
version_id:	0	plus1:	0
issue_org_id:	6475	affected_version:	
author_id:	540	closed_on:	
assigned_to_id:	0	affected_version_id:	
comments:	2		

説明

I have some repositories that are configured with @SVNPath@ instead of @SVNParentPath@ (I'm doing it to be able to use additional authentication methods them, see issue #6414).

With the current @Redmine.pm@ code (1.0.1) the authentication against Redmine fails because the @project_id@ is not guessed as it should (the apache @Location@ points to the repository, not to it's parent path).

To solve the problem I've patched @Redmine.pm@ to allow the use of a new option that adjusts the @project_id@ to use; if the option is set the get_project_identifier function returns that name instead of calculating it from the URI and the apache location).

The attached patch is against an export of the redmine-1.0.1 ta	The attached	patch is	against a	an export	of the	redmine-	1.0.1	tag
---	--------------	----------	-----------	-----------	--------	----------	-------	-----

journals	

履歴

#1 - 2022/05/10 17:21 - Admin Redmine

2024/05/13 1/1

⁻ カテゴリ を SCM extra_46 にセット