redmineorg-copy202205 - Vote #69122

change "author" field format to have login, fname, Iname instead of ambiguous "full name"

2022/05/09 15:20 - Admin Redmine

ステータス:	New	開始日 :	2011/01/29
優先度	通常	期日:	
担当者:		進捗率	0%
カテゴリ:	REST API_32	予定工数:	0.00時間
対象パージョン		作業時間	0.00時間
Redmineorg_URL:	https://www.redmine.org/issues/7487	status_id:	1
category_id:	32	tracker_id:	2
version_id:	0	plus1:	0
issue_org_id:	7487	affected_version:	
author_id:	7834	closed_on:	
assigned_to_id:	1	affected_version_id:	
comments:	5		

説明

"author" and "assigned_to" fields included in "get issues" XML response have user full name under ambiguous "name" attribute:

can we have several separate attributes for "author" and "assigned_to" instead:

- login
- id
- firstName
- lastName ?

this would simplify the response parsing. I can't reconstruct firstName and lastName from this response without making a separate "getUsers()" call to the server, which seems unnecessary.

journals

It should be possible to set author by all attributes only which have key property (login, email, internal id)

related to #1739

this is about the response from the server, not about setting values by the clients. we can't properly parse the server response from this combined "name" which actually contains a combination of first name, space, then last name - what if they contain spaces in names?...

if anyone is working on REST API, is it possible to make this improvement? this can be made in a backward-compatible manner by adding new fields to the response.

履歴

^{#1 - 2022/05/10 17:20 -} Admin Redmine

⁻ カテゴリ を REST API_32 にセット