

ステータス:	Closed	開始日:	2011/02/11
優先度:	通常	期日:	
担当者:		進捗率:	0%
カテゴリ:	Issues_2	予定工数:	0.00時間
対象バージョン:	1.2.0_27	作業時間:	0.00時間
Redmineorg_URL:	https://www.redmine.org/issues/7604	status_id:	5
category_id:	2	tracker_id:	1
version_id:	27	plus1:	0
issue_org_id:	7604	affected_version:	
author_id:	28277	closed_on:	
assigned_to_id:	0	affected_version_id:	20
comments:	1		

説明

My school (Regis Jesuit High School) is using Redmine to manage our newsroom publication workflow. It's super useful, but I keep getting an error when submitting edits to certain issues.

Error:

```
Processing IssuesController#update (for 174.253.181.218 at 2011-02-10 17:44:42) [PUT] Parameters: {"time_entry"=>{"conts"=>""}, "activity_id"=>"", "hours"=>""}, "commit"=>"Submit", "notes"=>"hello", "action"=>"update", "_method"=>"put", "authenticity_token"=>"D0eCFy/UxVBiZvKK0db3OwQacDvMpuAwpvt+q8P2JpE=", "id"=>"100", "issue"=>{"start_date"=>"2011-02-09", "estimated_hours"=>""}, "priority_id"=>"4", "parent_issue_id"=>"", "lock_version"=>"4", "fixed_version_id"=>"6", "done_ratio"=>"0", "assigned_to_id"=>"1", "subject"=>"Minecraft Feature Spread", "tracker_id"=>"21", "due_date"=>"", "status_id"=>"7", "description"=>"This spread will be a
```

```
look into the wondrous world of Minecraft as well as some of the guys who play it at RJ.r/n/r/nMinecraft is a very cool game that is much like building a model train set: only a few people who play it and the rest think it's a complete waste of time.r/n/r/nHowever, people have made some pretty awesome worlds with Minecraft, including the social media platform Reddit, whose players have built things like the Golden Gate bridge and the Statue of Liberty, sometimes to scale.r/n/r/nAlthough it seems like a creativity tool only, Minecraft adds the twist of monsters that can fight and attack the player, making it a combination of creativity and tower defense."}, "controller"=>"issues", "attachments"=>{"1"=>{"description"=>""}}}
```

ActionView::TemplateError (undefined method `name' for nil:NilClass) on line #10

```
of app/views/mailer/_issue_text_plain.rhtml:7: <%=I(:field_assigned_to)%>: <%= issue.assigned_to %>
8: <%=I(:field_category)%>: <%= issue.category %>
9: <%=I(:field_fixed_version)%>: <%= issue.fixed_version %>
10: <% issue.custom_values.each do |c| %><%= c.custom_field.name %>: <%= show_value(c) %>
11: <% end %>
12:
13: <%= issue.description %>
```

```
app/views/mailer/_issue_text_plain.rhtml:10:in `_run_rhtml_app47views47mailer47_issue_text_plain46rhtml_locals_issue_issue_text_plain_issue_url_object'
app/views/mailer/_issue_text_plain.rhtml:10:in `_run_rhtml_app47views47mailer47_issue_text_plain46rhtml_locals_issue_issue_text_plain_issue_url_object'
app/views/mailer/issue_edit.text_plain.rhtml:9:in `_run_rhtml_app47views47mailer47issue_edit46text46plain46rhtml'
app/models/mailer.rb:398:in `render_multipart'
app/models/mailer.rb:79:in `issue_edit'
app/models/journal_observer.rb:24:in `after_create'
/usr/lib/ruby/1.8/observer.rb:185:in `notify_observers'
/usr/lib/ruby/1.8/observer.rb:184:in `each'
```

```

/usr/lib/ruby/1.8/observer.rb:184:in `notify_observers'
app/models/journal.rb:43:in `save'
app/models/issue.rb:848:in `create_journal'      app/models/issue.rb:554:in `save_issue_with_child_records'
app/models/issue.rb:536:in `save_issue_with_child_records'      app/controllers/issues_controller.rb:170:in `update'
passenger (2.2.15) lib/phusion_passenger/rack/request_handler.rb:92:in `process_request'
passenger (2.2.15) lib/phusion_passenger/abstract_request_handler.rb:207:in
`main_loop'      passenger (2.2.15) lib/phusion_passenger/railz/application_spawner.rb:441:in
`start_request_handler'      passenger (2.2.15) lib/phusion_passenger/railz/application_spawner.rb:381:in
`handle_spawn_application'      passenger (2.2.15) lib/phusion_passenger/utils.rb:252:in `safe_fork'
passenger (2.2.15) lib/phusion_passenger/railz/application_spawner.rb:377:in `handle_spawn_application'
passenger (2.2.15) lib/phusion_passenger/abstract_server.rb:352:in `__send__'
passenger (2.2.15) lib/phusion_passenger/abstract_server.rb:352:in `main_loop'
passenger (2.2.15) lib/phusion_passenger/abstract_server.rb:196:in `start_synchronously'
passenger (2.2.15) lib/phusion_passenger/abstract_server.rb:163:in `start'
passenger (2.2.15) lib/phusion_passenger/railz/application_spawner.rb:222:in `start'
passenger (2.2.15) lib/phusion_passenger/spawn_manager.rb:253:in `spawn_rails_application'
passenger (2.2.15) lib/phusion_passenger/abstract_server_collection.rb:126:in `lookup_or_add'
passenger (2.2.15) lib/phusion_passenger/spawn_manager.rb:247:in `spawn_rails_application'
passenger (2.2.15) lib/phusion_passenger/abstract_server_collection.rb:80:in `synchronize'
passenger (2.2.15) lib/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'
passenger (2.2.15) lib/phusion_passenger/spawn_manager.rb:246:in `spawn_rails_application'
passenger (2.2.15) lib/phusion_passenger/spawn_manager.rb:145:in `spawn_application'
passenger (2.2.15) lib/phusion_passenger/spawn_manager.rb:278:in `handle_spawn_application'
passenger (2.2.15) lib/phusion_passenger/abstract_server.rb:352:in `__send__'
passenger (2.2.15) lib/phusion_passenger/abstract_server.rb:352:in `main_loop'
passenger (2.2.15) lib/phusion_passenger/abstract_server.rb:196:in `start_synchronously'

```

Rendering /etc/redmine/public/500.html (500 Internal Server Error)

I actually did manage to fix this one by adding two or three lines of code in app/views/mailer/_issue_text_plain.rhtml and app/views/mailer/_issue_text_html.rhtml:

_issue_text_plain.rhtml

Find:

```
<% issue.custom_values.each do |c| %><%= c.custom_field.name %>: <%= show_value(c) %>
```

Replace with:

```
<% issue.custom_values.each do |c| %>
<% unless c.nil? || c.custom_field.nil? %>
<%= c.custom_field.name %>: <%= show_value(c) %>
<% end %>
```

_issue_text_html.rhtml

Find:

```
<% issue.custom_values.each do |c| %>
```

▪ ~~<%= c.custom_field.name %>: <%= show_value(c) %>~~

Replace with:

```
<% issue.custom_values.each do |c| %>
  <% unless c.nil? || c.custom_field.nil? %>
```

▪ ~~<%= c.custom_field.name %>: <%= show_value(c) %>~~

Apparently one of the custom fields for an issue can be nil? Why exactly is this? I'll admit, my fix is kind of a kludge but does the job nicely...

Environment Info

About your application's environment

Ruby version 1.8.7 (i686-linux)
RubyGems version 1.3.7
Rack version 1.0
Rails version 2.3.5
Active Record version 2.3.5
Active Resource version 2.3.5
Action Mailer version 2.3.5
Active Support version 2.3.5
Application root /etc/redmine
Environment production
Database adapter mysql
Database schema version 20101115203855

About your Redmine plugins

Redmine Wiki Extensions plugin 0.2.4
Redmine Whining plugin 0.0.4
Redmine User Profiles plugin 0.0.2
Redmine Ultraviolet Syntax highlighting plugin 0.0.3
Redmine JChat 0.2.0
Redmine Theme Changer plugin 0.0.2
Redmine ICalendar Export Plugin (aka redmics) 1.1

Other Info

Redmine Version: 1.1.1 SVN
MySQL Version: mysql Ver 14.14 Distrib 5.1.49, for debian-linux-gnu (i686) using readline 6.1

Thanks!

journals

r4891 and r4892 should fix the problem.

履歴

#1 - 2022/05/10 17:19 - Admin Redmine

- カテゴリを Issues_2 にセット

- 対象バージョンを 1.2.0_27 にセット