redmineorg-copy202205 - Vote #70908

CRUD operations for "Issue categories" in REST API

2022/05/09 15:53 - Admin Redmine

ステータス:	Closed	開始日:	2011/11/11
優先度:	通常	期日:	
担当者:		進捗率:	10%
カテゴリ:	REST API_32	予定工数:	0.00時間
対象パージョン:	1.3.0_36	作業時間:	0.00時間
Redmineorg_URL:	https://www.redmine.org/issues/9553	status_id:	5
category_id:	32	tracker_id:	2
version_id:	36	plus1:	0
issue_org_id:	9553	affected_version:	
author_id:	7834	closed_on:	
assigned_to_id:	1	affected_version_id:	
comments:	5		

説明

journals

r7880 lets you retrieve issue categories using: GET /projects/id.xml?include=issue_categories

Done in r7882. See [[Rest_IssueCategories]].

Not sure that the @:shallow => true@ is effective here (in r7881) since it is designed to apply to nested resources.

I already had a doubt for project news.

I don't get it. Categories are nested resources, aren't they?

The @:shallow => true@ shortens the url for a category (eg: @/issue_categories/5@ instead of @/projects/foo/issue_categories/5@).

Jean-Philippe Lang wrote:

I don't get it. Categories are nested resources, aren't they?

The @:shallow => true@ shortens the url for a category (eg: @/issue_categories/5@ instead of @/projects/foo/issue_categories/5@).

I guess you're right, I didn't make any test on my own; I guess I've been fooled by RoR documentation example where @:shallow@ option is set at parent (project) level.

履歴

#1 - 2022/05/10 17:17 - Admin Redmine

- カテゴリ を REST API_32 にセット
- 対象バージョン を 1.3.0_36 にセット

2024/04/24 1/1