

Ignore whitespace when using GIT

2022/05/09 16:17 - Admin Redmine

ステータス:	New	開始日:	2022/05/09
優先度:	低め	期日:	
担当者:		進捗率:	0%
カテゴリ:	SCM_3	予定工数:	0.00時間
対象バージョン:		作業時間:	0.00時間
Redmineorg_URL:	https://www.redmine.org/issues/11414	status_id:	1
category_id:	3	tracker_id:	2
version_id:	0	plus1:	3
issue_org_id:	11414	affected_version:	
author_id:	59759	closed_on:	
assigned_to_id:	0	affected_version_id:	
comments:	7		

説明

By default, Redmine's diff reports any whitespace differences. To turn this off please edit:

```
/home/redmine/lib/redmine/scm/adapters/git_adapter.rb
```

locate the lines:

```
if identifier_to
cmd_args << "diff" << "--no-color" << identifier_to << identifier_from
else
cmd_args << "show" << "--no-color" << identifier_from
end
```

and change them to:

```
if identifier_to
cmd_args << "diff" << "--no-color" << "-w" << identifier_to << identifier_from
else
cmd_args << "show" << "--no-color" << "-w" << identifier_from
end
```

journals

In my opinion it should be a option under the settings point repositories.

+1

+1 would be very helpful for code reviews

+1

In a previous version I hacked in a setting at the top of the diff page that turned on and off whitespace ignoring, like the inline versus side-by-side setting. It worked well in my case, but isn't worthy of a patch because it only worked for Subversion. Doing it properly would require passing some options down through the scm models.

related_issues

relates,New,1476,Ignore whitespace when using SVN (requires installation of gnu diff)
relates,New,14034,Ability to choose diff algorithm type for git (patience, histogram)
relates,New,2235,Differential: New Line changes

履歴

#1 - 2022/05/10 17:15 - Admin Redmine

- カテゴリ を *SCM_3* にセット