

ステータス:	Confirmed	開始日:	2022/05/09
優先度:	通常	期日:	
担当者:		進捗率:	90%
カテゴリ:	Project settings_43	予定工数:	0.00時間
対象バージョン:	Candidate for next minor release_33	作業時間:	0.00時間
Redmineorg_URL:	https://www.redmine.org/issues/11881	status_id:	9
category_id:	43	tracker_id:	1
version_id:	33	plus1:	1
issue_org_id:	11881	affected_version:	
author_id:	63495	closed_on:	
assigned_to_id:	0	affected_version_id:	43
comments:	21		
説明			
<p>Hi, i installed redmine in a subdir /redmine.</p> <p>My Setup: Redhat5,apache with fcgid</p> <p>Every links in Redmine are generated correct, e.g. /redmine/projects/bal and so on. But if i go to my projectssettings (/redmine/projects/myproject/settings) some links are not generated correctly.</p> <p>Tab Members, if i try to change the role -> 404 (The requested URL /memberships/8 was not found on this server. (/redmine/ is missing)</p> <p>Tab Repositries edit/del/user-links for an existing repro are not working, same like above:</p> <p>User Edit Delete</p> <p>my Config: environment.rb:Redmine::Utils::relative_url_root = "/redmine" environment.rb:ActionController::Base.relative_url_root = "/redmine"</p> <p>routes.rb (had to add scope and end): RedmineApp::Application.routes.draw do scope "/redmine" do end</p>			
<p>journals</p> <p>Environment: Redmine version 2.1.0.stable Ruby version 1.8.7 (x86_64-linux) Rails version 3.2.8 Environment production</p> <p>Database adapter MySQL</p>			
+1			

<http://www.redmine.org/issues/11886>

a half duplicate #11274

What's your Apache/.htaccess Redmine specific configuration looks like?

If you don't have any URL rewriting directive, i.e. Rails is handling application routes and assets URLs generation alone, then you could try to:

- remove your changes in both @environment.rb@ and @routes.rb@
- add this single line in @environment.rb@ right +before+ the call to @RedmineApp::Application.initialize!@:

```
RedmineApp::Application.routes.default_scope = '/redmine'
```

----- hi, my .htaccess looks like

```
#diff htaccess.fcgi.example .htaccess
32a33
```

```
RewriteBase /redmine
```

i changed my config to your suggestion. Now css and js-links are also wrong: /css/.. and /js/... instead of /redmine/css.

everythings else is working, but not the repository-settings. Same error as above.

My apache conf for redmine:

```
#redmine
Alias /redmine /var/opt/apache/myvirthost/redmine/public/
```

Jonathan Tee wrote:

i changed my config to your suggestion. Now css and js-links are also wrong: /css/.. and /js/... instead of /redmine/css.

My bad, you should keep the @Redmine::Utils::relative_url_root = '/redmine'@ in @environment.rb@ after the call to @initialize!@.

everythings else is working, but not the repository-settings. Same error as above.

It works fine for me and links are correctly generated, could that be a plugin issue?

Etienne Massip wrote:

My bad, you should keep the @Redmine::Utils::relative_url_root = '/redmine'@ in @environment.rb@ after the call to @initialize!@.

ok, added again. Now css and js-url works fine.

It works fine for me and links are correctly generated, could that be a plugin issue?
i removed all plugins, but same error.

What i don't understand when i look into the view _repositories.html.erb is how the urls are generated:

```
committers_repository_path(repository)
edit_repository_path(repository)
repository_path(repository)
```

```
doesn't work, but
new_project_repository_path(@project)
works
```

are these functions? if yes where can i find the definition?

Jonathan Tee wrote:

are these functions? if yes where can i find the definition?

They are convenience methods automatically created by Rails from the routes definition.

As you set the scope for routes, I don't get why these specific ones wouldn't be treated like the others.

What gives you `@rake routes RAILS_ENV=production@?`

What about running (in production mode) with Webrick (you need to comment out the `@Redmine::Utils::relative_url_root = '/redmine'@` to test it)?

I have run Redmine in multiple sub-URI and have no issues with it.

Maybe somebody should update http://www.redmine.org/projects/redmine/wiki/HowTo_Install_Redmine_in_a_sub-URI or any related wiki on sub-URI.

You don't need to set `Redmine::Utils::relative_url_root = "/redmine"`.

Below are the steps if you using apache assuming `/var/www` is your root directory and you have untar your Redmine to `/opt/redmine`.

BTW, I am using Apache with Passenger.

- Create the symbolic link

```
In -s /opt/redmine/public /var/www/redmine
```

- in `/etc/httpd/conf.d/redmine.conf`

```
RailsEnv production
RailsBaseURI /redmine
PassengerResolveSymlinksInDocumentRoot on
```

Abdul Halim Mat Ali wrote:

I have run Redmine in multiple sub-URI and have no issues with it.

Abdul, just to make sure, are you using Redmine 2.x?

Yes. 2.1.0.

BTW, call me Halim.

and I have edited the symbolic link to

```
In -s /opt/redmine/public /var/www/redmine
```

Etienne Massip wrote:

What gives you `@rake routes RAILS_ENV=production@?`
interesting...
all entries have a `/redmine-prefix` except

```
membership GET /memberships/:id(.:format)
bers#show
```

#update		PUT	/memberships/:id(.:format)
s#destroy		DELETE	/memberships/:id(.:format)
ategories#edit	edit_issue_category	GET	/issue_categories/:id/edit(.:format)
tegories#show	issue_category	GET	/issue_categories/:id(.:format)
gories#update		PUT	/issue_categories/:id(.:format)
egories#destroy		DELETE	/issue_categories/:id(.:format)
positories#committers	committers_repository	GET POST	/repositories/:id/committers(.:format)
es#edit	edit_repository	GET	/repositories/:id/edit(.:format)
es#update	repository	PUT	/repositories/:id(.:format)
s#destroy		DELETE	/repositories/:id(.:format)
ons#show	relation	GET	/relations/:id(.:format)
ons#destroy		DELETE	/relations/:id(.:format)

if i look into routes.rb, all these entries have ":shallow => true"

You can try:

```
RedmineApp::Application.routes.default_scope = { :path => '/redmine', :shallow_path => '/redmine' }
```

But that shallow_path should already be inherited from path. Are you sure you didn't change any other configuration setting somewhere? ----- thanks, you did it. Now it works :-) now my environment.rb looks like:

```
...
RedmineApp::Application.routes.default_scope = { :path => '/redmine', :shallow_path => '/redmine' }
```

```
# Initialize the rails application
RedmineApp::Application.initialize!
Redmine::Utils::relative_url_root = '/redmine'
```

I've checked all my configs again but i'm quite sure i did not change other settings. But i know that i didn't changed any core files. Just the files in the config dir.

Jonathan Tee wrote:

thanks, you did it. Now it works :-)

now my environment.rb looks like:
[...]

I've checked all my configs again but i'm quite sure i did not change other settings. But i know that i didn't changed any core files. Just the files in the config dir.

Jonathan,

I have probably similar problem (#12102), unfortunately advice with RedmineApp::Application.routes.default_scope don't help fix it.

source:/tags/2.1.2/public/dispatch.fcgi.example should set @env['SCRIPT_NAME']@ to the value of @Redmine::Utils::relative_url_root@.

Note: I tried posting this to: <http://www.redmine.org/boards/2/topics/30676?r=30881> where it seems it would be most useful, but I always get 'posting denied as spam'

Working Redmine subdir/nginx:

- Redmine 2.2.0 (fresh install)
- no plugins
- ruby 1.9.3p327 (2012-11-10 revision 37606) [x86_64-linux]
- rails (3.2.9)
- passenger (3.0.18)
- nginx version: nginx/1.2.4

as per:

[[[<http://www.redmine.org/issues/11881#note-14>]]]

config/environment.rb:

```
RedmineApp::Application.routes.default_scope = { :path => '/redmine', :shallow_path => '/redmine' }
RedmineApp::Application.initialize!
Redmine::Utils::relative_url_root = '/redmine'
```

nginx.conf: (mostly unchanged)

```
http {
    passenger_root /usr/local/rvm/gems/ruby-1.9.3-p327/gems/passenger-3.0.18;
    passenger_ruby /usr/local/rvm/wrappers/ruby-1.9.3-p327/ruby;

    server {
        listen      80;
        server_name localhost;

        location /redmine {
            root /usr/local/redmine/public;
            passenger_enabled on;
        }
    }
}
```

THEN, create soft link in the public directory:

```
cd redmine/public
ln -s . redmine
```

no chance to get this fixed in next major or minor release :(?

related_issues

relates,New,11274,Repository edit link is incorrect when running in a sub-URI
relates,New,11886,Broken link while edit/delete "Issue Category" under project in Redmine 2.1.0
relates,New,12102,Installed Redmine in a sub-URI: Links are generated not correctly
relates,Closed,12420,URLs in notification emails do not include the sub-URI

履歴

#1 - 2022/05/10 17:15 - Admin Redmine

- カテゴリ を Project settings_43 にセット

- 対象バージョン を Candidate for next minor release_33 にセット