redmineorg-copy202205 - Vote #75604

Ability to use a parent task to create a known set of sub tasks

2022/05/09 17:25 - Admin Redmine

ステータス:	New	開始日:	2022/05/09
優先度:	通常	期日:	
担当者:		進捗率:	0%
カテゴリ:	Issues_2	予定工数:	0.00時間
対象パージョン:		作業時間:	0.00時間
Redmineorg_URL:	https://www.redmine.org/issues/17972	status_id:	1
category_id:	2	tracker_id:	2
version_id:	0	plus1:	0
issue_org_id:	17972	affected_version:	
author_id:	17835	closed_on:	
assigned_to_id:	0	affected_version_id:	
comments:	3		

説明

We have been using redmine to track server update activities like fixes for heartbleed and shellshock. It would be nice to be able to create a set of sub tasks based off multiple selections for a custom field value.

i.e. I have a custom field that lists all of our servers (lets call it "servers" and it has 10 values). If we know 8 of the 10 are vulnerable, I'd like to be able to create a set of subtasks based off multiple selected values from that "servers" custom field. Each selected value will create a new sub-task that can then be used to track the status of whatever my parent issue is tracking.

I envision it as a check mark next to the drop down fields that would trigger this multiple ticket creation. Probably only one field selectable at a time, or you could end up with a pretty exploded list of tickets.

journals

Correction:

"for a customer field value." should read "for a custom field value."

john aylward wrote:

Correction:

"for a customer field value." should read "for a custom field value."

Done.

履歴

#1 - 2022/05/10 17:10 - Admin Redmine

- カテゴリ を Issues_2 にセット

2024/05/13 1/1