## redmineorg-copy202205 - Vote #77165

### **API** Metadata

2022/05/09 17:53 - Admin Redmine

ステータス:	New	開始日:	2022/05/09
優先度:	通常	期日:	
担当者:		進捗率	0%
カテゴリ:	REST API_32	予定工数:	0.00時間
対象パージョン		作業時間	0.00時間
Redmineorg_URL:	https://www.redmine.org/issues/21950	status_id:	1
category_id:	32	tracker_id:	2
version_id:	0	plus1:	0
issue_org_id:	21950	affected_version:	
author_id:	56941	closed_on:	
assigned_to_id:	0	affected_version_id:	
comments:	1		

#### 説明

It would be highly useful to those integrating the Redmine API to have a descriptor of it available for the generation of code.

e.g. - Mylyn connector for Eclipse is pretty much an amateur effort, and would benefit greatly from having an API descriptor available, even if it was just so it could be diffed between versions to determine what to work on.

Would it be a relatively easy thing to provide Swagger / OpenAPI or some other API description?

journals

Is there any chance that this could be implemented sometime in the future?

How can it be solved? By adding specs with "rswag":<u>https://github.com/rswag/rswag</u>?

I found a redmine's swagger on "github":<u>https://github.com/komikoni/redmine-swagger/blob/master/swagger.yaml</u> but it's not full and probably outdated

# Can someone provide additional info?

#### 履歴

- カテゴリ を REST API\_32 にセット

<sup>#1 - 2022/05/10 17:07 -</sup> Admin Redmine