

ステータス:	Needs feedback	開始日:	2022/05/09
優先度:	通常	期日:	
担当者:		進捗率:	0%
カテゴリ:	Issues_2	予定工数:	0.00時間
対象バージョン:		作業時間:	0.00時間
Redmineorg_URL:	https://www.redmine.org/issues/26085	status_id:	10
category_id:	2	tracker_id:	1
version_id:	0	plus1:	0
issue_org_id:	26085	affected_version:	
author_id:	154072	closed_on:	
assigned_to_id:	0	affected_version_id:	110
comments:	5		

説明

To replicate the issue one needs to:

- 1. Create a level 1 issue. This will be the parent of all other issues. Let's call it Issue #100
- 2. Then create any number greater than 1 subtasks of that parent. We will create five and say they are issue ID's 110, 120, 130, 140, and 150.
- 3. Now under issue ID create a subtask with issue ID 111. That will work fine.
- Here comes the problem:
- 4. Move 111 to 150 and it will be abandoned.
- 5. Move 111 to 140 and it will say 140 is the parent, but it will actually be placed under 150.

Looking at the issues table in SQL the problem seems to be that the lft and rgt fields do not increment when adding the new subtask to a new parent that did not have tasks previously. So, the new task fails over to the next available range of lft rgt bounds. If there is no parent to that range then the issue is orphaned, otherwise it assigns the issue to the next range available, but not the one that the user desires even though the application will say the tasks is a child of the correct parent.

Our current workaround is as follows using the example from above:

Edit issue 140 or 150 whichever you are working with as follows. Remove the parent of 100 and set it to blank and save. Then edit issue 111 so that it has no parent and save it. Go back to issue 140 or 150 and set the parent to 100 and save it. Then go to issue 111 and assign to either 140 or 150 and it will now work.

Environment:

Redmine version	3.3.0.stable
Ruby version	2.1.8-p440 (2015-12-16) [x64-mingw32]
Rails version	4.2.6
Environment	production
Database adapter	SQLServer

SCM:

Filesystem

Redmine plugins:

redmine_agile	1.4.1
---------------	-------

journals

I've edited the description to increase the readability of the issue.

Mark Wintch wrote:

- 3. Now under issue ID create a subtask with issue ID 111. That will work fine.

For clarity's sake: what will be the parent of issue with ID 111 after this third step? Is it

110, 120, 130, 140, or 150? Or is it 100?

Thank you for making this report more readable and catching what I overlooked.

In step 3: 3. Now under issue ID create a subtask with issue ID 111. That will work fine. The parent would be 110 because in the example I was creating it under the first second level subtask created. It could be created under any of the issues 110, 120, 130, 140 or 150 and it would work fine in that case. The problem occurs when moving from a subtask to a new subtask which previously had no other subtasks assigned to it.

Edited by Mischa The Evil: corrected a typo.

Mark Wintch wrote:

In step 3: 3. Now under issue ID create a subtask with issue ID 111. That will work fine. The parent would be 110 because in the example I was creating it under the first second level subtask created. It could be created under any of the issues 110, 120, 130, 140 or 150 and it would work fine in that case. The problem occurs when moving from a subtask to a new subtask which previously had no other subtasks assigned to it.

Two things:

- by moving you actually mean: changing the parent value of the existing issue?
- I wasn't able to reproduce this issue on source:/trunk@16580 without the @redmine_agile@ plugin installed.

I'd suggest you to test:

- without the @redmine_agile@ plugin (v1.4.1) installed
- with the current version of the @redmine_agile@ plugin (v1.4.3) installed
- with the last released Redmine version installed (v3.3.3), both without and with the (latest version of the) @redmine_agile@ plugin.

Hello,

Redmine 3.3.3. Same issue and reproduced ok.

1. Created a level 1 issue. "100", task @#8396@
2. Create 5 subtasks: "110", "120", "130", "140", "150". Tasks @#8397@ - @#8401@.
3. Under issue "110" created a subtask "111", task @#8402@. Tree looks Ok.
4. Change parent of the issue "111" from "110" to "140" (from task @#8397@ to @#8400@). Parent has changed to task @#4000@ in DB, but issue is tied to task @#4001@ ("150") in issue view.

Screens are attached. You can see that parent_id is correct but lft and rgt were calculated incorrectly.

This issue is related to #22022, probably.

Vitaly Maslov wrote:

Hello,

Redmine 3.3.3. Same issue and reproduced ok.

I cannot reproduce on my CentOS 7 postgresql-server-9.2.23-3.el7_4.x86_64.

Environment:

Redmine version	3.3.5.stable
Ruby version	2.2.7-p470 (2017-03-28) [x86_64-linux]
Rails version	4.2.7.1
Environment	production
Database adapter	PostgreSQL

SCM:

Subversion	1.7.14
Mercurial	2.8.2
Git	1.8.3.1

!before.png!

```
redmine-test-3.3-stable=> select id, subject, parent_id, root_id, lft, rgt from issues order by id desc;
```

id	subject	parent_id	root_id	lft	rgt	
14	111		9	8	3	4
13	150		8	8	12	13
12	140		8	8	10	11
11	130		8	8	8	9
10	120		8	8	6	7
9	110		8	8	2	5
8	100			8	1	14

!after.png!

```
redmine-test-3.3-stable=> select id, subject, parent_id, root_id, lft, rgt from issues order by id desc;
```

id	subject	parent_id	root_id	lft	rgt	
14	111		12	8	9	10
13	150		8	8	12	13
12	140		8	8	8	11
11	130		8	8	6	7
10	120		8	8	4	5
9	110		8	8	2	3
8	100			8	1	14

履歴

- #1 - 2022/05/10 17:05 - Admin Redmine
- カテゴリ を Issues_2 にセット