

<b>ステータス:</b>	Needs feedback	<b>開始日:</b>	2022/05/09
<b>優先度:</b>	通常	<b>期日:</b>	
<b>担当者:</b>		<b>進捗率:</b>	0%
<b>カテゴリ:</b>	REST API_32	<b>予定工数:</b>	0.00時間
<b>対象バージョン:</b>		<b>作業時間:</b>	0.00時間
Redmineorg_URL:	https://www.redmine.org/issues/29128	status_id:	10
category_id:	32	tracker_id:	1
version_id:	0	plus1:	0
issue_org_id:	29128	affected_version:	
author_id:	355438	closed_on:	
assigned_to_id:	355438	affected_version_id:	
comments:	5		

**説明**

using postman /issues/15658/relations.json

with headers

- Content-Type:application/json
- X-Redmine-API-Key:...

and payload

```
{
  "relations": [
    {
      "issue_id": "15657",
      "relation_type": "follows",
      "delay": 0
    }
  ]
}
```

always returns 422 with error message

```
{
  "errors": [
    "Related issue cannot be blank"
  ]
}
```

what is wrong here, i tried multiple structures. API documentation for issue relation is very unclear about that.

**journals**

Could you please change it as follows and try it out.  
With my environment this worked out.

```
{
  "relation": {
    "issue_to_id": "15657",
    "relation_type": "follows",
    "delay": 0
  }
}
```

Yes it worked, but does that mean, i cannot add multiple relations with one shot? looking at the api doc it looks like it is handling arrays of relations.

## Thanks

Thank you for your confirmation.

I read the code, but the current Issue Relation create API seems not to support to multiple structures.

Eser Esen wrote:

Yes it worked, but does that mean, i cannot add multiple relations with one shot? looking at the api doc it looks like it is handling arrays of relations.

Could you tell me the URL of the api document it looks like it is handling arrays of relations? I could not find it.

Also, I thought that the title of this issue was better for "API: Multiple Issue Relation create does not work".

Hi the URL is [https://www.redmine.org/projects/redmine/wiki/Rest\\_IssueRelations](https://www.redmine.org/projects/redmine/wiki/Rest_IssueRelations)

Looking at it again, the GET method actually returns arrays, while the POST one fits to the one you provided.

Would be good, if someone could add xml/json examples.

---

### 履歴

#1 - 2022/05/10 17:04 - Admin Redmine

- カテゴリ を REST API\_32 にセット